



PRAN-RFL GROUP
Since 1981



INTRODUCING
DURANTA E-BIKE
WHERE STYLE MEETS SUSTAINABILITY



RFL E-BIKE



Rangpur Metal Industry Ltd Unit 02 Bicycle: Major Buyer



UK



FRANCE



UK



UK



FINLAND



UK



GERMANY



GERMANY



GERMANY



UK



UK



RFL E-BIKE

REAR HUB MOTOR



E-RIDER-101



Weight: 22.4Kg



Motor: 250W



Battery: 36V, 10.8Ah



Wheel: 26"



Millage: 45 – 50 km

Very Flexible to use as normal bike.

ALLOY frame Suspension fork

Multi speed 7speed Shifter use.

Light have Horn have

250W motor 36V, 10.8AH Battery

2A Charger

Digital display & monitor system (SPEED)

High configured controller



RFL E-BIKE

REAR HUB MOTOR WITH MAG WHEEL



E-RIDER-201



Weight: 24.8Kg



Motor: 250W



Battery: 36V, 10.8Ah



MAG Wheel: 26"



Millage: 45 – 50 km

Very Flexible to use as normal bike.

ALLOY frame Suspension fork

Multi speed 7speed Shifter use.

Light have Horn have

250W motor 36V, 10.8AH Battery 2A Charger

Digital display & monitor system (SPEED)

High configured controller



RFL E-BIKE

REAR HUB MOTOR



E-RIDER-201-S



Weight: 23.5Kg



Motor: 250W



Wheel: 26"



Battery: 36V, 10.8Ah



Millage: 45-50km

Very Flexible to use as normal bike.
ALLOY frame Suspension fork
Multi speed 7speed Shifter use.
Light have Horn have
250W motor 36V, 10.8AH Battery 2A Charger
Digital display & monitor system (SPEED)
High configured controller



RFL E-BIKE

REAR HUB MOTOR



E-RIDER-301



Weight: 23.8Kg



Motor: 250W



Battery: 36V, 10.8Ah



Wheel: 26"



Millage: 50 – 55 km

Very Flexible to use as normal bike.
ALLOY frame Suspension fork / Rigid fork
Multi speed 7speed Shifter use.
Light have Horn have
250W motor 36V, 10.8AH Battery
2A Charger
Digital display & monitor system (SPEED)
High configured controller




RFL E-BIKE

REAR HUB MOTOR



E-RIDER-401

 **Weight: 25Kg**  **Motor: 250W**  **Battery: 36V, 10.8Ah**

 **Wheel: 26"**

 **Millage: 50 – 55 km**

Very Flexible to use as normal bike.
ALLOY frame Suspension fork
Multi speed 7speed Shifter use.
Light have Horn have
250W motor 36V, 10.8AH Battery
2A Charger
Digital display & monitor system (SPEED)
High configured controller



RFL E-BIKE

REAR HUB MOTOR



E-RIDER-601



Weight: 26Kg



Motor: 250W



Battery: 36V, 8.8Ah



Wheel: 27"



Millage: 50 – 55 km

Very Flexible to use as normal bike.
ALLOY frame Suspension fork
Multi speed SHIMAO 7speed Shifter
Light have 250W motor
36V, 8.8AH Battery- LG Cells
2A Charger Integrated System
High configured controller



RFL E-BIKE

REAR HUB MOTOR



ACTIA-1



Weight: 26.5Kg



Motor: 250W



Battery: 36V, 12Ah

Very Flexible to use as normal bike.

ALLOY frame Suspension fork

Multi speed 7speed Shifter

Light have 250W motor

36V, 12AH Battery

RC System

With ACTIA DRIVE (French Drive SYSTEM)



Wheel: 27"



Millage: 55 – 60 km



RFL E-BIKE

REAR HUB MOTOR



ACTIA-2



Weight: 26.5Kg



Motor: 250W



Battery: 36V, 12Ah

Very Flexible to use as normal bike.
ALLOY frame Suspension fork
Multi speed 7speed Shifter
Light have 250W motor
36V, 12AH Battery
DC System
With ACTIA DRIVE (French Drive SYSTEM)



Wheel: 27"



Millage: 55 – 60 km



RFL E-BIKE

MID DRIVE MOTOR



RFL MID DRIVE



Weight: 28Kg



Motor: 250W



Battery: 36V, 14Ah

Very Flexible to use as normal bike.
ALLOY frame Suspension fork
Digital display /monitor system (SPEED)
BAFANG MID DRIVE 250W Motor
36V, 14AH Battery Light have
Integrated System



Wheel: 27"



Millage: 65 – 70 km



RFL E-BIKE

REAR HUB MOTOR



E-RIDER-701



Weight: 25.8Kg



Motor: 250W



Wheel: 28"



Battery: 36V, 13Ah



Millage: 60 – 65 km

Very Flexible to use as normal bike.
ALLOY frame Suspension fork
Multi speed 7speed Shifter use.
SHIMANO Equipped System
Light have 250W motor
36V, 13AH Battery DC2.1, CE, ROHS, GS Charger
Digital display & monitor system (SPEED)
Integrated System



RFL E-BIKE

REAR HUB MOTOR



E-RIDER-801



Weight: 24.5Kg



Wheel: 28"



Millage: 60 – 65 km



Motor: 250W



Battery: 36V, 13Ah



Very Flexible to use as normal bike.

- * ALLOY frame
- * Suspension fork
- * Multi speed
- * 7speed Shifter use.
- * SHIMANO Equipped System
- * Light
- * 250W motor
- * 36V, 13AH Battery
- * DC2.1, CE, ROHS, GS Charger
- * Integrated System.
- * Digital display & monitor system (SPEED)

